

HMIS Rating		MATERIAL SAFETY DATA SHEET (Complies with OSHA Communication Standard 29 CFR 1910.1200 Dept. of Labor) Form approved OMB No. 1218-0072 OSHA 174 - Sept. 1985	NFPA Rating	
Health	1		Health	
Flammability	0		Flammability	
Reactivity	0		Reactivity	
Specific Hazard	0		Special	

Section I - Product Identification **HAZ-MATS 24" x 16"**
98124

Marketer's Name Must Appear Below Maintenance Magic	DOT Shipping and Hazard Classification Not regulated by DOT as a hazardous material.
Manufactured For: IBS, Incorporated	Emergency Telephone Number
Address: 740 Clay St. N.W. Auburn, WA 98001	Telephone Number for Information (253) 804-8666
	Date Prepared January 6, 2000

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, CAS Number)	OSHA PEL	ACGIH TLV	STEL	% Wt. (Approx.)
Bentonite Blend				40-60
Starch Polymer				0.5 - 2
Dow 75 Preservative				
1-(3-Chloroallyl)-3, 5, 7-triaza-1				
azoniaadamantane chloride	004080-31-3			<0.0007
Sodium Bicarbonate	000144-55-8			<0.0004
Hexamethylenetetramine	000100-97-0			<0.00002
Water	007732-18-5			40-60

All chemical compounds marked with an Asterisk () are toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372. You must notify each person to whom this mixture or trade name is sold. This statement must remain a part of this Material Safety Data Sheet.*

Section III - Physical/Chemical Characteristics

Boiling Point:	Specific Gravity (H ₂ O=1):	Melting Point:
NA	1.4	NA
Vapor Pressure PSIG @ 70°F:	Vapor Density (Air=1):	Evaporation Rate (Butyl Acetate=1):
NA	NA	NA
Solubility in Water:	Appearance:	Odor:
Negligible	gray, heavy paste-like consistency	odorless

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used):	Flammable Limits: LEL	UEL
NA	NA	NA
Extinguishing Media:		
NA		
Special Fire Fighting Procedures:		
Non-flammable		
Unusual Fire and Explosion Hazards:		
NA		

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in this MSDS. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.

Section V - Reactivity Data		
STABILITY:	<input type="checkbox"/> Unstable <input checked="" type="checkbox"/> Stable	Conditions to Avoid: None known.
Incompatibility (Materials To Avoid): None known.		
Hazardous Decomposition or By-products: None known.		
Hazardous Polymerization	<input type="checkbox"/> May Occur <input checked="" type="checkbox"/> Will Not Occur	Conditions to Avoid: None known
Section VI - Health Hazard Data		
Routes of Entry: Inhalation unlikely Ingestion unlikely Skin Absorption No Eye		
Carcinogenicity: NTP? IARC Monograph? OSHA Regulated?		
Health Hazards (Acute and Chronic):		
SARA 311/312	No (no acute or chronic effects upon exposure to product)	SARA 313 None
TSCA	All of the components of this product are listed on the EPA inventory or exempt from notification requirements.	
CERCLA Section 103 Reportable Quantity: None		
Signs and Symptoms of Exposure		
Inhalation:		
Ingestion:		
Skin Contact:		
Eye Contact: .		
Medical Conditions Aggravated by Exposure: Heart Disease; Respiratory Disorders.		
Emergency First Aid Procedures		
Inhalation:	If a piece should get into the nasal passage, get immediate medical attention to remove.	
Ingestion:		
Skin Contact:	Wash with soap and water.	
Eye Contact:	Flush with water. If irritation persists, see a physician.	
Section VII - Precautions for Safe Handling and Use		
Steps to be Taken in Case Material is Released or Spilled:	Shovel or scoop up the material. Avoid adding water, as the product can be slippery when wet.	
Waste Disposal Method:	Uncontaminated material may be allowed in the solid waste, but check with your local regulatory agency first. If used to plug or stop a chemical leak, then dispose of according to the regulations for that chemical.	
Section VIII - Control Measures		
Protective Equipment Types		
Eyes:	Safety glasses or goggles recommended.	
Respiratory:		
Gloves:	Recommended.	
Other:	Material can be slippery. Take necessary precautions.	
Ventilation:	General Mechanical	Local Exhaust Other
Work/Hygienic Practises: Wash hands after use.		